

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	1305	(427/554,555,557).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:43
2	L2	1274	(427/163.1,264,269).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:45
3	L3	995	(427/163.1,284,269).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:45
4	L4	1539	(427/275,264,270-271).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:46
5	L5	90	(216/94).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:46

09/941,363 - saved

	L #	Hits	Search Text	DBs	Time Stamp
6	L6	42834	windshield (automotive automobile vehical)adj glass	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:53
7	L7	0	5 and 6	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:54
8	L8	8	4 and 6 <i>subs for (deformed) bent</i>	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:54
9	L9	401	4 and glass not 6	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:55
10	L10	0	8 and 1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:56

3

	L #	Hits	Search Text	DBs	Time Stamp
11	L11	44	9 and (1 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:55
12	L12	11	3 and 11	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:56
13	L13	33	11 not 12	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2003/03/21 10:57
14	L14	2326	427/226-229		
15	L15	0	8 and 14		

16 L16 0 12 and 14

17 L17 1 13 + 14

used in phosphorescence
cases: more than shadows
made of main black matrix

L8

pull ?

	Document ID	Issue Date	Title	Current OR	Inventor
1	US 5830529 A	19981103	Perimeter coating alignment	427/152	Ross, Gregory E.
2	US 5104711 A	19920414	Liquid spray masking system and method	428/78	Marsek, Patrick W.
3	US 4477486 A	19841016	Method of applying an opaque screening area	427/510	Boaz, Premakara n T.
4	US 4468437 A	19840828	Deposited films with improved microstructures	428/553	Patten, James W. et al.
5	US 4407847 A	19831004	Process for the manufacture of glass sheets	427/504	Boaz, Premakara n T.
6	US 4336118 A	19820622	Methods for making deposited films with improved microstructures	204/192.1 2	Patten, James W. et al.

(long)

(D) Automaton vehicle, arch rear windows... windshield
(D) Fig. 30A --- perimeter treatment... windshield of vehicle, or larger inclusion

- done on car

yes *

- Figure shows border contours

- (B) Fig 1 - windshield
- (B) Fig 2

(B) is kept under silk screen

(D) on design... windshield... heat stuff to these opaque coat

(B) If it was design... windshield... keeps operation

member - put poor

←
HKE

5

Yes, see Flow chart

	Document ID	Issue Date	Title	Current OR	Inventor
7	US 4300933 A	19811117	Method of manufacturing automotive windows by coating a scored substrate	65/60.1	Thomas, Donald D.
8	US 4216269 A	19800805	Polyvinyl butyrate sheet staining process for the manufacture of laminated and bulletproof of glass as well as product obtained by said process	428/500	Tonali, Roberto et al.